


BRAUSSE | 1050SE

Automatic Diecutting & Creasing Machine



Outstanding Features

- Printing press style feed head for accurate feeding of wide range of stock, all adjustments can be made on the run.
- Non-stop feeder with motorized side shift and non-stop delivery with counter and tape inserter to ensure continuous productivity.
- The slow down device on feed board allows sheet to enter head stopper at a greatly reduced speed to ensure excellent register when running thinner weight stock.
- Microprocessor assisted monitoring and self-diagnosis system for safe operation and easy maintenance. Control system with LCD screen display provides information of each section to facilitate operation and trouble shooting.
- Triple action stripping station with gripper edge removal device further enhances productivity.
- Delivery features a slow down brush as well as a dual air bar system to assist in running of light stock, all can be adjusted on the run.




Non-Stop Feeder with Preloading Device



Designed to run thinner stock at high speeds



Triple Action Stripping Station



Non-Stop Delivery with Tape Inserter

Technical Specification	1050SE	1450SE
Max. sheet size	1050 x 750 mm (41 1/8" x 29 1/2")	1450 x 1100mm (57" x 43 1/4")
Min. sheet size	400 x 370 mm (15 3/4" x 14 1/2")	700 x 500mm (27 1/2" x 19 3/4")
Max. cutting size	1041 x 730 mm (41" x 28 3/4")	1420mm x 1080mm (56" x 42 1/2")
Min. gripper margin	9 mm (23/64")	10mm (25/64")
Inner chase size	1145 x 755 mm (45" x 29 3/4")	1480 x 1106 mm (58 1/4" x 43 1/2")
Size of cutting plate	1080 x 736 mm (42 1/2" x 29 3/8")	1472 x 1086mm (58" x 42 1/4")
Stock range	0.1-2 mm (0.0039" - 0.078")	cardboard 0.2 - 2mm (0.008" - 0.078") corrugated 0.7 - 4.5mm (0.028" - 0.18")
Max. pressure	300 tons	400 tons
Max. mechanical speed	7,500 cycles/hour	5,500 cycles / hour
Main motor	11 kw (29 Amp)	22 KW (58 Amp)
Other power required	9 kw (24 Amp)	14 KW (36 Amp)
Overall length	7018 mm (23")	9880 mm (32' 5")
Overall width	4189 mm (13' 9")	5270mm (17' 3")
Overall height	2045 mm (6' 8")	2580mm (8' 5")
Total weight	15.5 tons	28 tons


In the interest of product improvement, the manufacturer reserves the right to change specifications and features without notice.

1050SE Diecutting Machine Floor Plan

NET WEIGHT=16.100KGS

Static load $10.5 \text{ ton}/(1.23 \times 0.87) = 9.8 \text{ ton}/\text{m}^2$

Working load $9.8 \text{ ton} \times 2 = 19.6 \text{ ton}/\text{m}^2$



BRAUSSE GROUP

Headquarter

#1 - 1500 Valmont Way
Richmond, British Columbia
Canada, V6V 1Y4
1-888-853-4760

Tel: (604)278-2027

Fax: (604)278-1005

Email: printech@can.rogers.com

Brausse Group USA

1-888-272-8773

WWW.BRAUSSE.COM

BRAUSSE



Brausse Group's State of the Art Manufacturing Facility in Shanghai, China.

The Brausse Group

Brausse Group is the world's leading equipment manufacturer for the converting industry, with manufacturing bases worldwide. We have been supplying converting equipment to many different industries for over 25 years. The globalization of our manufacturing process enables us to maintain the highest level of product quality and innovation, at the best economical value.

Many of our facilities are either ISO9001:2000, CE and/or CSA certified for their first class workmanship. We have teams of highly trained service professionals ready to serve you because we believe that service is "the name of the game" in your daily operation.